TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

	Population estimated as of July 1, 1981	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,250	-	-	24	117	90	6	2	-	1	-	98	-	57	78	6.8	7.4	10.2
Oxford	6,700	-	-	11	54	88	1	9	1	1	-	43	-	32	50	13.1	6.4	12.2
Seymour	13,500	-	-	22	84	150	3	23	-	-	-	115	-	104	101	11.1	8.5	15.2
Shelton	31,380	3	-	112	181	379	10	47	2	1	-	219	2	224	225	12.1	7.0	14.3
Wallingford	37,400	-	-	149	321	456	6	36	-	5	-	320	3	285	306	12.2	8.6	15.8
West Haven	53,300	2	-	461	329	754	144	135	58	4	1	509	20	473	462	14.2	9.6	17.5
Woodbridge	7,800	-	-	8	84	50	-	2	-	-	-	45	1	29	46	6.4	5.8	9.6
HSA III, Eastern	499,770	5,311	38	3,812	4,438	6,747	438	811	140	51	4	4,000	94	3,879	3,987	13.5	8.0	15.7
Ashford	3,250	-	-	3	38	37	1	6	-	-	-	22	-	29	24	11.4	6.8	16.3
Bozrah	2,150	-	-	1	9	23	-	1	-	-	-	14	-	8	13	10.7	6.5	9.8
Brooklyn	5,770	-	-	24	40	57	1	14	1	-	-	42	-	40	45	9.9	7.3	14.7
Canterbury	3,450	2	-	4	30	54	1	4	-	-	-	13	-	24	33	15.7	3.8	16.5
Chaplin	1,820	-	-	3	18	13	-	1	-	-	-	20	1	14	17	7.1	11.0	17.0
Chester	3,080	-	-	21	30	37	2	3	-	1	-	23	-	25	25	12.0	7.5	16.2
Clinton	11,200	-	-	28	70	164	3	8	-	1	-	73	-	79	75	14.6	6.5	13.8
Colchester	7,720	1	1	34	56	153	5	10	-	1	-	60	2	71	80	19.8	7.8	19.6
Columbia	3,420	-	-	5	42	33	-	3	-	-	-	25	-	19	20	9.7	7.3	11.4
Coventry	8,950	2	-	6	38	120	1	10	-	-	-	44	1	50	51	13.4	4.9	11.3
Cromwell	10,370	-	-	50	75	148	10	9	1	2	-	77	-	81	85	14.3	7.4	16.0
Deep River	3,990	1	-	7	2	61	1	3	-	-	-	35	-	18	20	15.3	8.8	9.5
Durham	5,150	1	-	10	62	55	1	3	-	4	-	30	-	38	35	10.7	5.8	14.2
Eastford	1,030	-	-	2	13	8	-	-	-	-	-	9	-	11	9	7.8	8.7	19.4
East Haddam	5,720	1	-	16	46	86	1	6	-	-	-	38	-	44	40	15.0	6.6	14.7
East Hampton	8,600	1	-	42	62	127	5	1	-	1	-	71	1	66	68	14.8	8.3	15.6
East Lyme	13,950	-	-	12	149	154	6	11	-	1	-	89	-	89	108	11.0	6.4	14.1
Essex	5,050	1	-	62	79	49	2	4	-	-	-	66	-	36	42	9.7	13.1	15.5
Franklin	1,620	-	-	3	4	17	-	2	-	-	-	10	-	17	11	10.5	6.2	17.3
Griswold	9,040	-	-	27	75	124	4	14	1	-	-	89	-	79	77	13.7	9.9	17.3
Groton	40,830	893	5	157	446	739	56	59	13	4	-	257	4	402	357	18.1	6.3	18.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,410	1	-	11	44	85	1	3	-	1	-	46	-	40	49	13.3	7.2	13.9
Hampton	1,350	-	-	2	11	14	-	1	-	-	-	14	-	9	15	10.4	10.4	18.5
Killingly	14,700	3	-	115	138	199	3	39	-	1	-	132	3	127	127	13.5	9.0	17.3
Killingworth	4,030	-	-	8	30	45	-	3	-	1	-	29	-	28	22	11.2	7.2	12.4
Lebanon	4,830	1	-	6	39	69	1	3	-	-	-	37	-	31	34	14.3	7.7	13.5
Ledyard	13,900	1	-	4	80	201	8	11	1	3	-	51	3	89	115	14.5	3.7	14.7
Lisbon	3,340	-	-	4	15	39	-	5	-	1	-	17	-	21	34	11.7	5.1	16.5
Lyme	1,840	-	-	5	4	15	1	2	-	-	-	27	-	16	13	8.2	14.7	15.8
Mansfield	20,740	-	-	11	122	117	18	11	2	1	-	69	-	83	71	5.6	3.3	7.4
Middlefield	3,760		NO	REPORT		35	-	1	-	1	-	21	-	21	17	9.3	5.6	10.1
Middletown	38,930	926	13	731	295	469	82	58	28	9	3	358	26	323	302	12.1	9.2	16.1
Montville	16,530	1	-	11	111	241	6	21	-	1	-	99	-	130	152	14.6	6.0	17.1
New London	28,730	1,231	6	638	423	493	116	132	60	1	-	258	26	300	290	17.2	9.0	20.5
North Stonington	4,270	-	-	5	50	55	1	4	-	1	-	20	-	41	37	12.9	4.7	18.3
Norwich	38,190	1,113	6	757	403	666	50	122	15	5	-	443	15	367	386	17.4	11.6	19.7
Old Lyme	6,240	1	-	25	81	63	1	5	-	-	-	71	-	43	50	10.1	11.4	14.9
Old Saybrook	9,350	1	-	76	96	92	8	7	1	-	-	83	2	73	74	9.8	8.9	15.7
Plainfield	12,850	-	-	36	112	191	2	30	1	2	1	125	-	108	116	14.9	9.7	17.4
Pomfret	2,790	1	-	9	47	41	-	3	-	-	-	27	-	20	14	14.7	9.7	12.2
Portland	8,400	-	-	48	81	73	4	6	3	3	-	91	1	57	50	8.7	10.8	12.7
Preston	4,660	1	-	20	36	19	-	1	-	-	-	31	-	21	22	4.1	6.7	9.2
Putnam	8,640	678	3	278	58	131	2	27	1	-	-	106	-	46	57	15.2	12.3	11.9
Salem	2,360	-	-	-	12	23	-	2	-	-	-	5	-	15	14	9.8	2.1	12.3
Scotland	1,080	-	-	1	9	10	-	1	-	-	-	6	-	5	8	9.3	5.6	12.0
Sprague	3,020	-	-	4	22	59	-	5	-	-	-	29	-	23	22	19.5	9.6	14.9
Sterling	1,780	-	-	6	13	20	-	4	-	-	-	20	-	11	11	11.2	11.2	12.4
Stonington	16,580	2	-	37	203	179	2	14	1	1	-	130	2	103	112	10.8	7.8	13.0
Thompson	8,190	1	-	20	84	111	3	17	2	-	-	66	-	52	59	13.6	8.1	13.6
Union	550	-	-	-	1	7	-	-	-	-	-	10	-	3	5	12.7	18.2	14.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,630	-	-	2	23	37	-	4	-	-	-	26	1	16	14	22.7	16.0	18.4
Waterford	17,920	-	-	104	121	139	7	16	2	-	-	149	2	137	162	7.8	8.3	16.7
Westbrook	5,220	1	-	7	53	67	1	2	-	-	-	48	-	36	41	12.8	9.2	14.8
Willington	4,730	1	-	8	25	65	1	5	-	1	-	19	-	46	44	13.7	4.0	19.0
Windham	20,900	444	4	298	174	357	20	72	7	3	-	183	4	165	185	17.1	8.8	16.8
Woodstock	5,170	-	-	8	38	61	-	2	-	-	-	47	-	33	27	11.8	9.1	11.6
HSA IV, North Central	895,550	12,615	102	7,520	7,495	11,781	1,792	2,457	1,010	93	10	7,290	443	6,714	7,069	13.2	8.1	15.4
Andover	2,200	-	-	4	12	28	1	1	-	-	-	16	-	19	14	12.7	7.3	15.0
Avon	11,400	-	-	57	103	117	3	6	-	1	-	73	-	71	71	10.3	6.4	12.5
Berlin	15,220	-	-	32	125	156	3	9	-	-	-	109	-	107	125	10.3	7.2	15.2
Bloomfield	18,700	1	-	113	125	180	74	38	28	2	1	163	29	107	125	9.6	8.7	12.4
Bolton	4,010	-	-	2	37	63	2	3	-	1	-	20	-	38	29	15.7	5.0	16.7
Bristol	57,500	664	7	456	568	694	20	78	11	9	-	481	1	541	579	12.1	8.4	19.5
Burlington	5,790	-	-	8	49	88	2	5	-	1	-	29	-	28	35	15.2	5.0	10.9
Canton	7,650	1	-	11	50	119	3	9	-	3	-	54	-	67	57	15.6	7.1	16.2
East Granby	4,120	-	-	4	19	59	-	4	-	1	-	23	-	30	33	14.3	5.6	15.3
East Hartford	52,270	1	-	130	392	631	92	103	29	5	-	440	12	469	510	12.1	8.4	18.7
East Windsor	8,940	-	-	29	144	125	6	15	2	-	-	83	3	120	119	14.0	9.3	26.7
Ellington	9,820	-	-	8	59	148	1	8	1	1	-	55	2	77	72	15.1	5.6	15.2
Enfield	42,500	-	-	122	437	540	14	53	1	4	-	256	5	292	339	12.7	6.0	14.9
Farmington	16,650	605	10	330	134	180	12	8	-	2	-	112	1	108	123	10.8	6.7	13.9
Glastonbury	24,500	-	-	67	202	254	6	16	3	-	-	152	2	130	147	10.4	6.2	11.3
Granby	8,050	-	-	11	53	122	3	7	-	-	-	43	-	36	48	15.2	5.3	10.4
Hartford	135,350	7,359	50	2,956	1,136	2,746	1,246	1,551	843	18	8	1,307	332	1,065	1,008	20.3	9.7	15.3
Hartland	1,440	-	-	4	11	22	-	1	-	-	-	9	-	8	4	15.3	6.3	8.3
Hebron	5,570	-	-	2	30	103	-	6	-	-	-	21	-	36	43	18.5	3.8	14.2
Manchester	49,570	1,402	12	590	479	638	40	56	8	9	-	449	-	386	420	12.9	9.1	16.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV,North Central Cont'd.																		
Marlborough	4,800	-	-	5	33	64	-	2	-	1	-	21	-	28	28	13.3	4.4	11.7
New Britain	72,700	1,968	17	820	636	1,048	105	206	47	8	-	705	30	680	691	14.4	9.7	18.9
Newington	28,900	1	-	273	208	278	5	15	2	1	-	217	1	183	194	9.6	7.5	13.0
Plainville	16,400	-	-	49	122	197	6	17	1	1	-	129	2	141	111	12.0	7.9	15.4
Plymouth	10,780	-	-	19	66	129	-	9	-	-	-	82	-	86	91	12.0	7.6	16.4
Rocky Hill	14,600	-	-	190	94	163	8	9	1	2	-	118	2	149	136	11.2	8.1	19.5
Simsbury	21,250	-	-	55	182	231	6	6	1	2	-	105	-	89	129	10.9	4.9	10.3
Somers	8,570	-	-	6	104	93	6	5	-	-	-	43	1	52	64	10.9	5.0	13.5
Southington	36,850	1	-	185	279	436	7	21	3	1	-	266	-	247	237	11.8	7.2	13.1
South Windsor	17,600	-	-	28	184	191	9	12	4	2	-	79	3	152	162	10.9	4.5	17.8
Stafford	9,410	1	-	129	70	165	1	13	-	1	-	76	-	81	82	17.5	8.1	17.3
Suffield	9,450	-	-	17	107	92	4	9	2	2	-	65	-	62	76	9.7	6.9	14.6
Tolland	9,800	1	-	2	71	130	4	12	-	1	-	27	-	51	62	13.3	2.8	11.5
Vernon	28,290	608	6	287	229	419	23	47	6	2	-	213	4	273	264	14.8	7.5	19.0
West Hartford	61,300	1	-	273	462	454	24	24	4	6	-	732	4	275	371	7.4	11.9	10.5
Wethersfield	25,900	-	-	61	162	201	2	17	1	-	-	247	-	131	172	7.8	9.5	11.7
Windsor	25,500	-	-	161	230	327	50	38	12	4	1	179	9	183	189	12.8	7.0	14.6
Windsor Locks	12,200	1	-	24	91	150	4	18	-	2	-	91	-	116	109	12.3	7.5	18.4
HSA V,Northwestern	494,730	5,635	40	4,245	3,873	6,200	433	1,043	219	46	6	4,205	117	3,325	3,458	12.5	8.5	13.7
Barkhamsted	2,950	-	-	1	12	40	1	3	1	1	-	14	-	20	16	13.6	4.8	12.2
Beacon Falls	4,000	-	-	2	19	51	-	7	-	-	-	24	-	29	30	12.8	6.0	14.8
Bethel	16,120	1	-	19	97	238	4	47	1	5	-	99	-	100	102	14.8	6.1	12.5
Bethlehem	2,650	2	-	4	26	39	-	1	-	-	-	19	-	21	19	14.7	7.2	15.1
Bridgewater	1,570	-	-	5	13	11	-	2	-	-	-	13	-	9	5	7.0	8.3	8.9
Brookfield	13,000	-	-	9	88	129	6	23	2	2	-	72	-	51	64	9.9	5.5	8.9
Canaan	1,010	-	-	6	6	26	1	3	1	-	-	19	-	7	11	25.7	18.8	17.8
Cheshire	22,000	-	-	77	136	255	6	8	-	2	-	157	-	114	130	11.6	7.1	11.1
Colebrook	1,220	-	-	5	15	10	-	-	-	-	-	8	-	9	7	8.2	6.6	13.1

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,300	-	-	4	14	19	-	3	-	-	-	16	-	7	8	14.6	12.3	11.5
Danbury	60,720	1,700	14	828	490	848	93	225	39	5	1	502	21	458	469	14.0	8.3	15.3
Goshen	1,750	1	-	5	28	21	-	1	-	-	-	22	-	15	6	12.0	12.6	12.0
Harwinton	4,950	-	-	9	24	57	-	1	-	-	-	32	-	28	23	11.5	6.5	10.3
Kent	2,520	1	-	9	23	31	1	4	-	-	-	26	-	12	15	12.3	10.3	10.7
Litchfield	7,750	-	-	34	104	93	1	11	-	-	-	67	-	54	63	12.0	8.7	15.1
Middlebury	6,030	-	-	25	52	51	-	3	-	1	-	53	-	25	34	8.5	8.8	9.8
Morris	1,910	-	-	2	12	21	-	2	-	-	-	13	-	11	18	11.0	6.8	15.2
Naugatuck	26,600	1	-	57	187	362	8	24	-	5	-	227	1	201	197	13.6	8.5	15.0
New Fairfield	11,420	-	-	5	77	137	1	29	-	-	-	66	-	54	75	12.0	5.8	11.3
New Hartford	4,960	-	-	4	51	63	1	5	-	-	-	22	-	33	32	12.7	4.4	13.1
New Milford	19,700	333	2	268	127	294	5	45	-	1	-	140	1	129	131	14.9	7.1	13.2
Newtown	19,370	2	-	81	114	205	4	28	-	1	-	106	1	102	110	10.6	5.5	10.9
Norfolk	2,190	2	-	9	16	39	-	3	-	-	-	21	1	17	10	17.8	9.6	12.3
North Canaan	3,200	-	-	42	31	26	2	4	1	-	-	25	1	18	18	8.1	7.8	11.3
Prospect	6,820	-	-	25	59	55	3	2	-	-	-	49	-	29	43	8.1	7.2	10.6
Redding	7,320	-	-	9	79	71	4	5	-	-	-	49	-	35	44	9.7	6.7	10.8
Ridgefield	20,180	1	-	33	224	182	2	16	-	2	1	123	2	118	119	9.0	6.1	11.7
Roxbury	1,500	-	-	1	10	20	-	2	-	1	-	18	-	8	5	13.3	12.0	8.7
Salisbury	3,910	-	-	21	41	47	-	4	-	-	-	42	-	18	24	12.0	10.7	10.7
Sharon	2,610	370	3	182	33	28	-	2	-	1	-	38	1	13	15	10.7	14.6	10.7
Sherman	2,330	-	-	3	18	19	-	3	-	-	-	16	-	18	21	8.2	6.9	16.7
Southbury	14,200	1	-	69	97	128	3	8	-	2	-	145	2	59	63	9.0	10.2	8.6
Thomaston	6,280	-	-	20	63	81	2	10	-	-	-	52	1	59	51	12.9	8.3	17.5
Torrington	31,300	805	6	418	237	404	7	44	1	3	1	325	6	266	265	12.9	10.4	17.0
Warren	1,040	1	-	2	19	16	-	-	-	-	-	7	-	6	9	15.4	6.7	14.4
Washington	3,700	-	-	8	41	47	-	3	-	-	-	39	1	24	25	12.7	10.5	13.2
Waterbury	103,800	2,413	15	1,701	783	1,464	271	412	172	11	3	1,133	76	773	796	14.1	10.9	15.1
Watertown	19,800	1	-	73	153	205	1	12	-	1	-	146	-	134	132	10.4	7.4	13.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	10,850	-	-	125	110	164	3	19	1	1	-	122	1	94	104	15.1	11.2	18.3
Wolcott	13,100	-	-	32	100	126	2	11	-	1	-	79	1	87	92	9.6	6.0	13.7
Woodbury	7,100	-	-	13	44	77	1	8	-	-	-	59	-	60	57	10.9	8.3	16.5
OUT-OF-STATE		974		637		888	51	95	17	16	2	1,099	54	3,356	2,155			

TABLE 3: CONNECTICUT BIRTHS, 1981

	ALL RACES											NONWHITE										
	TOTAL	AGE OF MOTHER										TOTAL	AGE OF MOTHER									
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	39,999	63	4,321	11,121	13,750	8,421	2,052	247	16	-	8	5,619	42	1,279	1,882	1,373	767	232	38	4	-	2
MALE	20,424	34	2,175	5,687	7,108	4,235	1,049	126	7	-	3	2,832	23	615	950	724	383	117	16	3	-	1
FEMALE	19,575	29	2,146	5,434	6,642	4,186	1,003	121	9	-	5	2,787	19	664	932	649	384	115	22	1	-	1
PLACE OF DELIVERY																						
HOSPITAL	39,884	63	4,311	11,098	13,711	8,388	2,043	246	16	-	8	5,601	42	1,273	1,876	1,370	765	231	38	4	-	2
OTHER	104	-	9	21	34	30	9	1	-	-	-	15	-	5	6	2	1	1	-	-	-	-
UNKNOWN	11	-	1	2	5	3	-	-	-	-	-	3	-	1	-	1	1	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	32,255	2	1,692	8,352	12,319	7,808	1,847	220	13	-	2	2,545	2	176	751	839	563	178	31	4	-	1
MOTHER UNMARRIED	7,744	61	2,629	2,769	1,431	613	205	27	3	-	6	3,074	40	1,103	1,131	534	204	54	7	-	-	1
PERIOD OF GESTATION																						
UNDER 20 WEEKS	13	1	3	5	4	-	-	-	-	-	-	5	1	1	3	-	-	-	-	-	-	-
20-27 WEEKS	229	-	40	69	72	36	12	-	-	-	-	68	-	18	20	16	9	5	-	-	-	-
28-31 WEEKS	248	-	40	76	82	37	11	2	-	-	-	53	-	15	18	15	5	-	-	-	-	-
32-35 WEEKS	838	5	107	257	270	143	48	5	3	-	-	215	3	45	78	54	28	4	2	1	-	-
36 WEEKS	785	2	112	221	253	153	39	4	1	-	-	174	2	41	55	42	21	13	-	-	-	-
37-39 WEEKS	8,930	13	853	2,320	3,069	2,057	545	68	2	-	3	1,349	10	269	459	309	213	73	15	-	-	1
40 WEEKS OR OVER	23,499	28	2,477	6,623	8,167	4,927	1,129	137	8	-	3	2,753	16	626	907	721	363	102	15	2	-	1
NOT STATED	5,457	14	689	1,550	1,833	1,068	268	31	2	-	2	1,002	10	264	342	216	128	35	6	1	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	290	2	57	91	85	40	15	-	-	-	-	105	2	31	35	23	9	5	-	-	-	-
1001-1500 GRAMS	242	1	41	72	63	37	7	1	-	-	-	69	-	17	20	22	8	1	1	-	-	-
1501-2000 GRAMS	499	2	56	148	171	93	25	3	1	-	-	143	1	27	47	39	25	4	-	-	-	-
2001-2500 GRAMS	1,706	6	280	466	545	308	89	9	1	-	2	423	6	120	129	93	56	15	4	-	-	-
2501-3000 GRAMS	6,356	18	931	1,990	1,984	1,137	255	37	2	-	2	1,359	10	364	477	301	151	44	10	1	-	1
3001-3500 GRAMS	15,088	24	1,705	4,344	5,218	2,992	715	79	8	-	2	2,158	17	486	761	513	281	84	13	2	-	1
3501-4000 GRAMS	11,515	7	993	3,006	4,106	2,674	642	82	4	-	1	1,086	4	185	342	298	189	60	7	1	-	-
4001-4500 GRAMS	3,472	3	218	848	1,274	896	209	23	-	-	1	219	2	40	59	67	34	14	3	-	-	-
4501 GRAMS AND OVER	666	-	33	134	237	184	59	9	-	-	-	52	-	8	10	16	13	5	-	-	-	-
UNKNOWN	165	-	7	22	47	59	26	4	-	-	-	5	-	1	2	1	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	39,148	62	4,268	10,931	13,400	8,228	1,995	243	14	-	7	5,482	41	1,260	1,841	1,334	743	223	34	4	-	2
TWINS	836	1	53	187	341	190	57	4	2	-	1	137	1	19	41	39	24	9	4	-	-	-
TRIPLETS	15	-	-	3	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	39,999	2,737	165	63	183	498	879	1,207	1,554	11,121	13,750	8,421	2,052	247	16	8
NONWHITE	5,619	740	5	42	79	200	253	349	398	1,882	1,373	767	232	38	4	2
HSA 1 SOUTHWESTERN																
ALL RACES	7,486	521	101	22	43	107	183	242	292	1,934	2,354	1,711	513	82	3	-
NONWHITE	1,572	192	1	16	18	57	75	113	103	518	364	215	79	13	1	-
BRIDGEPORT																
ALL RACES	2,642	242	3	10	29	68	119	147	173	979	696	325	85	10	1	-
NONWHITE	812	113	-	8	12	37	48	69	54	307	181	72	21	3	-	-
DARIEN																
ALL RACES	152	5	3	-	-	-	1	1	1	11	49	65	23	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON																
ALL RACES	62	-	1	-	-	-	-	-	-	5	23	26	7	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD																
ALL RACES	431	26	2	-	-	3	4	2	7	69	174	136	32	4	-	-
NONWHITE	12	1	-	-	-	-	-	-	-	2	7	3	-	-	-	-
GREENWICH																
ALL RACES	474	20	24	-	-	1	4	5	3	64	148	170	66	13	-	-
NONWHITE	16	2	-	-	-	-	1	-	-	3	3	5	4	-	-	-
MONROE																
ALL RACES	145	7	-	-	-	-	-	3	-	17	55	52	15	3	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
NEW CANAAN																
ALL RACES	126	2	9	-	-	-	3	2	1	16	36	37	28	3	-	-
NONWHITE	5	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-
NORWALK																
ALL RACES	1,069	64	10	7	4	15	20	34	37	283	329	269	59	12	-	-
NONWHITE	250	27	-	3	1	9	9	13	16	70	60	47	20	2	-	-
STAMFORD																
ALL RACES	1,337	92	33	5	6	13	20	34	46	311	477	318	87	19	1	-
NONWHITE	394	40	1	5	3	9	13	23	26	117	95	72	23	8	-	-
STRATFORD																
ALL RACES	506	32	3	-	4	5	9	12	19	121	198	107	27	4	-	-
NONWHITE	63	8	-	-	2	2	3	8	7	16	14	7	4	-	-	-
TRUMBULL																
ALL RACES	223	16	1	-	-	2	-	1	4	27	83	82	24	-	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-
WESTON																
ALL RACES	45	3	2	-	-	-	-	1	-	3	10	20	10	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WESTPORT																
ALL RACES	169	7	8	-	-	-	1	-	1	21	54	50	34	8	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WILTON																
ALL RACES	105	5	2	-	-	-	2	-	-	7	22	54	16	3	1	-
NONWHITE	6	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-
MSA 2 SOUTH CENTRAL																
ALL RACES	7,785	540	17	17	43	111	169	235	304	2,083	2,701	1,680	397	39	5	1
NONWHITE	1,384	190	2	12	21	56	58	84	99	467	356	172	51	7	1	-
ANSONIA																
ALL RACES	279	20	-	-	-	3	6	13	14	83	103	44	12	1	-	-
NONWHITE	33	2	-	-	-	2	1	3	3	8	7	9	-	-	-	-
BETHANY																
ALL RACES	45	1	-	-	-	-	1	-	-	5	17	17	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BRANFORD																
ALL RACES	289	27	-	-	2	2	2	3	4	71	112	73	20	-	-	-
NONWHITE	6	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-
DERBY																
ALL RACES	166	9	1	-	-	1	3	5	3	61	55	27	11	-	-	-
NONWHITE	10	1	-	-	-	-	-	-	-	4	3	1	2	-	-	-
EAST HAVEN																
ALL RACES	260	14	-	1	1	3	3	7	14	65	102	54	8	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-
GUILFORD																
ALL RACES	236	11	-	-	-	-	2	2	4	26	87	96	18	1	-	-
NONWHITE	5	1	-	-	-	-	-	-	1	-	1	3	-	-	-	-
HAMDEN																
ALL RACES	500	28	1	-	1	3	6	3	9	80	231	136	28	2	1	-
NONWHITE	47	6	-	-	-	1	2	-	3	9	16	12	3	1	-	-
MADISON																
ALL RACES	163	9	1	-	-	-	-	1	2	19	38	76	25	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN																
ALL RACES	851	48	1	1	6	18	26	32	32	283	291	132	26	3	1	-
NONWHITE	56	9	-	-	2	4	4	4	3	17	15	5	2	-	-	-
MILFORD																
ALL RACES	619	27	3	-	-	7	10	15	16	142	262	135	31	1	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	1	3	3	2	-	-	-
NEW HAVEN																
ALL RACES	2,086	215	6	14	27	57	80	106	138	698	549	314	87	13	2	1
NONWHITE	1,027	147	1	12	17	43	46	70	82	371	242	105	33	5	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NORTH BRANFORD																
ALL RACES	125	8	-	-	-	1	1	2	3	25	43	34	15	-	1	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NORTH HAVEN																
ALL RACES	199	6	-	-	-	-	1	3	5	24	81	62	20	3	-	-
NONWHITE	11	-	-	-	-	-	-	-	-	3	3	3	2	-	-	-
ORANGE																
ALL RACES	90	2	1	-	-	-	-	1	-	11	30	41	7	-	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
OXFORD																
ALL RACES	88	4	-	-	-	-	-	-	1	18	30	33	6	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SEYMOUR																
ALL RACES	150	9	-	-	-	-	3	2	2	43	68	26	6	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
SHELTON																
ALL RACES	379	21	-	-	-	2	5	7	11	61	161	112	17	3	-	-
NONWHITE	10	3	-	-	-	-	-	2	-	1	5	1	1	-	-	-
WALLINGFORD																
ALL RACES	456	24	-	1	2	1	2	11	15	127	162	106	27	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-
WEST HAVEN																
ALL RACES	754	55	3	-	4	13	18	22	31	239	262	140	22	3	-	-
NONWHITE	144	21	1	-	2	5	5	5	7	48	45	21	5	1	-	-
WOODBRIDGE																
ALL RACES	50	2	-	-	-	-	-	-	-	2	17	22	7	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN																
ALL RACES	6,747	372	6	1	18	56	134	233	308	2,182	2,316	1,173	297	29	-	-
NONWHITE	438	40	-	-	3	8	13	27	38	156	113	66	12	2	-	-
ASHFORD																
ALL RACES	37	2	-	-	-	-	1	-	1	10	11	14	-	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BOZRAH																
ALL RACES	23	2	-	-	-	-	-	-	1	5	12	3	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES	57	5	-	-	-	-	1	1	7	19	14	12	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES	54	2	-	-	-	-	2	-	1	15	23	9	3	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CHAPLIN																
ALL RACES	13	2	-	-	-	-	-	-	-	3	8	1	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES	37	1	-	-	-	1	1	2	1	10	9	11	2	-	-	-
NONWHITE	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
CLINTON																
ALL RACES	164	8	1	-	-	-	4	5	3	37	56	50	8	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
COLCHESTER																
ALL RACES	153	12	-	-	-	2	2	2	4	52	49	34	8	-	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
COLUMBIA																
ALL RACES	33	1	-	-	-	-	1	1	-	7	14	5	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES	120	6	-	-	-	-	2	1	2	35	46	30	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CROMWELL																
ALL RACES	148	11	-	-	-	-	2	1	2	25	62	32	4	-	-	-
NONWHITE	10	2	-	-	-	-	1	-	-	2	2	5	-	-	-	-
DEEP RIVER																
ALL RACES	61	4	-	-	-	-	2	-	4	18	21	13	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
DURHAM																
ALL RACES	55	-	-	-	-	1	-	1	1	11	23	15	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EASTFORD																
ALL RACES	8	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	86	4	-	-	-	-	-	4	3	28	26	17	7	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES	127	9	-	-	-	1	-	3	3	26	54	33	7	-	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-
EAST LYME																
ALL RACES	154	10	-	-	1	2	-	2	2	37	59	37	14	-	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	1	1	2	2	-	-	-
ESSEX																
ALL RACES	49	4	-	-	-	-	-	2	1	10	17	12	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
FRANKLIN																
ALL RACES.....	17	1	-	-	-	-	-	2	-	6	7	1	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES.....	124	4	-	-	-	1	1	4	9	46	44	15	3	1	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
GROTON																
ALL RACES.....	739	47	1	-	2	7	3	15	29	297	264	94	27	1	-	-
NONWHITE.....	56	5	-	-	-	1	-	3	2	19	21	7	3	-	-	-
HADDAM																
ALL RACES.....	85	4	-	-	-	-	-	-	2	13	28	35	6	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HAMPTON																
ALL RACES.....	14	-	-	-	-	-	-	-	1	4	5	4	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.....	199	7	-	-	1	1	11	9	13	70	51	36	7	-	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
KILLINGWORTH																
ALL RACES.....	45	3	-	-	-	-	1	1	1	8	15	14	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES.....	69	4	-	-	-	1	-	2	-	14	32	17	3	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEDYARD																
ALL RACES.....	201	4	-	-	-	-	2	6	6	54	89	31	12	1	-	-
NONWHITE.....	8	-	-	-	-	-	-	1	-	5	2	-	-	-	-	-
LISBON																
ALL RACES.....	39	2	-	-	-	-	1	-	2	13	15	6	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES.....	15	1	-	-	-	1	-	1	-	3	5	3	2	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MANSFIELD																
ALL RACES.....	117	6	-	-	-	-	-	2	2	25	42	33	11	2	-	-
NONWHITE.....	18	-	-	-	-	-	-	-	-	3	10	5	-	-	-	-
MIDDLEFIELD																
ALL RACES.....	35	1	1	-	-	-	2	-	-	7	21	3	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES.....	469	36	1	-	1	3	13	21	23	149	158	84	17	-	-	-
NONWHITE.....	82	12	-	-	1	2	5	5	9	29	17	13	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES	241	8	-	1	1	-	1	7	13	92	86	30	7	3	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-
NEW LONDON																
ALL RACES	493	32	-	-	1	7	14	31	33	200	133	56	15	3	-	-
NONWHITE	116	12	-	-	-	3	4	9	15	47	27	9	2	-	-	-
N STONINGTON																
ALL RACES	55	2	-	-	-	1	-	2	-	15	26	9	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORWICH																
ALL RACES	666	30	-	-	6	9	20	38	43	268	182	78	21	1	-	-
NONWHITE	50	4	-	-	2	-	3	4	6	17	14	4	-	-	-	-
OLD LYME																
ALL RACES	63	5	-	-	-	-	-	1	1	15	23	14	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OLD SAYBROOK																
ALL RACES	92	4	-	-	-	-	4	2	3	34	26	14	8	1	-	-
NONWHITE	8	1	-	-	-	-	-	-	1	5	-	1	-	1	-	-
PLAINFIELD																
ALL RACES	191	11	-	-	-	5	5	10	14	69	66	14	7	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
POMFRET																
ALL RACES	41	3	-	-	-	-	2	2	-	12	16	7	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	73	1	-	-	-	-	2	2	1	19	29	16	3	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
PRESTON																
ALL RACES	19	2	-	-	-	-	1	-	1	5	8	2	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	131	14	-	-	2	1	7	7	9	50	38	10	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
SALEM																
ALL RACES	23	-	-	-	-	-	-	-	1	3	9	7	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES	10	-	-	-	-	1	-	-	-	1	5	3	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	59	3	-	-	-	1	1	2	7	24	14	5	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
STERLING																
ALL RACES	20	2	-	-	-	2	-	1	-	7	6	3	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	179	13	1	-	-	2	4	8	4	45	68	40	8	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THOMPSON																
ALL RACES	111	8	-	-	-	1	1	6	8	43	34	15	3	-	-	-
NONWHITE	3	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
UNION																
ALL RACES	7	1	-	-	-	-	-	-	1	1	3	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES	37	2	-	-	-	-	-	2	3	15	12	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES	139	4	-	-	-	-	4	4	1	45	50	30	4	1	-	-
NONWHITE	7	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-
WESTBROOK																
ALL RACES	67	5	-	-	-	-	1	2	4	19	21	16	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WILLINGTON																
ALL RACES	65	6	-	-	-	1	1	-	5	12	31	10	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WINDHAM																
ALL RACES	357	13	1	-	3	4	14	17	30	120	116	46	5	2	-	-
NONWHITE	20	-	-	-	-	-	-	2	3	7	4	4	-	-	-	-
WOODSTOCK																
ALL RACES	61	-	-	-	-	-	-	1	2	10	32	15	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	11,781	917	14	18	65	176	291	343	444	3,263	4,109	2,475	533	57	4	3
NONWHITE	1,792	262	2	13	32	67	90	103	125	596	430	257	66	10	2	1
ANDOVER																
ALL RACES	28	-	-	-	-	-	-	1	-	2	15	8	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
AVON																
ALL RACES	117	12	1	-	-	-	-	2	-	9	53	44	8	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
BERLIN																
ALL RACES	156	12	-	-	-	-	1	2	2	22	80	42	7	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BLOOMFIELD																
ALL RACES	180	13	-	-	3	2	1	6	5	30	56	59	17	1	-	-
NONWHITE	74	7	-	-	3	2	1	4	3	20	17	20	4	-	-	-
BOLTON																
ALL RACES	63	4	-	-	-	-	-	1	1	7	30	20	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BRISTOL																
ALL RACES	694	55	-	-	-	7	13	23	36	248	228	119	17	3	-	-
NONWHITE	20	2	-	-	-	-	3	2	2	4	3	5	-	1	-	-
BURLINGTON																
ALL RACES	88	8	1	-	1	-	-	-	-	10	40	33	3	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
CANTON																
ALL RACES	119	8	-	-	-	-	-	-	5	15	55	36	8	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
EAST GRANBY																
ALL RACES	59	-	-	-	-	-	1	1	1	10	25	20	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES	631	59	1	-	1	5	10	18	31	216	206	119	22	3	-	-
NONWHITE	92	15	1	-	-	2	2	5	6	28	27	18	4	-	-	-
EAST WINDSOR																
ALL RACES	125	7	-	-	-	2	3	-	4	48	42	21	4	1	-	-
NONWHITE	6	2	-	-	-	-	-	-	-	3	2	1	-	-	-	-
ELLINGTON																
ALL RACES	148	4	-	-	1	-	-	2	4	40	62	30	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ENFIELD																
ALL RACES	540	24	-	-	2	3	10	17	23	149	215	103	15	3	-	-
NONWHITE	14	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-
FARMINGTON																
ALL RACES	180	13	-	-	-	-	1	-	2	24	76	66	11	-	-	-
NONWHITE	12	3	-	-	-	-	-	-	-	1	6	3	2	-	-	-
GLASTONBURY																
ALL RACES	254	12	-	-	1	1	1	3	4	26	88	104	24	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
GRANBY																
ALL RACES	122	9	-	-	-	-	-	-	1	20	50	39	11	1	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-
HARTFORD																
ALL RACES	2,746	332	3	17	46	115	160	159	199	1,000	644	298	89	14	4	1
NONWHITE	1,246	191	1	12	26	57	73	79	101	466	271	120	30	8	2	1

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HARTLAND																
ALL RACES	22	-	-	-	-	-	-	1	-	8	6	7	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES	103	3	-	-	-	-	-	-	2	19	51	26	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER																
ALL RACES	638	36	1	-	2	3	13	19	16	197	251	109	27	1	-	-
NONWHITE	40	6	-	-	1	-	1	4	1	8	12	9	4	-	-	-
MARLBOROUGH																
ALL RACES	64	9	-	-	-	-	-	-	1	6	31	25	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES	1,048	80	4	1	7	19	39	39	36	368	377	136	20	4	-	2
NONWHITE	105	13	-	1	1	4	8	5	5	41	22	16	2	-	-	-
NEWINGTON																
ALL RACES	278	20	-	-	-	-	2	3	3	54	126	74	15	1	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	2	-	2	1	-	-	-
PLAINVILLE																
ALL RACES	197	9	1	-	-	1	3	5	1	56	80	45	5	1	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	2	3	1	-	-	-	-
PLYMOUTH																
ALL RACES	129	9	-	-	-	-	3	4	3	36	53	27	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL																
ALL RACES	163	16	-	-	-	-	1	1	2	29	68	46	13	3	-	-
NONWHITE	8	4	-	-	-	-	-	-	-	1	3	4	-	-	-	-
SIMSBURY																
ALL RACES	231	10	1	-	-	1	-	1	1	22	68	104	30	4	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
SOMERS																
ALL RACES	93	2	-	-	-	1	-	1	5	29	27	28	2	-	-	-
NONWHITE	6	-	-	-	-	1	-	-	-	-	2	2	1	-	-	-
SOUTHINGTON																
ALL RACES	436	26	1	-	-	1	4	4	11	86	188	117	23	2	-	-
NONWHITE	7	1	-	-	-	-	-	1	1	1	1	1	2	-	-	-
SOUTH WINDSOR																
ALL RACES	191	11	-	-	-	1	3	-	5	29	77	60	15	1	-	-
NONWHITE	9	2	-	-	-	-	-	-	1	1	4	2	1	-	-	-
STAFFORD																
ALL RACES	165	13	-	-	-	2	3	5	3	56	69	21	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SUFFIELD																
ALL RACES	92	5	-	-	-	-	3	1	2	24	34	20	7	1	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-
TOLLAND																
ALL RACES	130	5	-	-	-	1	-	1	1	21	56	39	10	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
VERNON																
ALL RACES	419	27	-	-	1	2	9	9	18	140	134	84	22	-	-	-
NONWHITE	23	5	-	-	1	-	-	-	1	4	5	7	5	-	-	-
WEST HARTFORD																
ALL RACES	454	19	-	-	-	1	1	-	4	61	172	170	43	2	-	-
NONWHITE	24	4	-	-	-	1	-	-	1	5	10	5	2	-	-	-
WETHERSFIELD																
ALL RACES	201	15	-	-	-	5	-	4	3	34	69	70	15	1	-	-
NONWHITE	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
WINDSOR																
ALL RACES	327	17	-	-	-	1	5	8	5	60	141	87	18	2	-	-
NONWHITE	50	3	-	-	-	-	2	2	2	4	18	18	4	-	-	-
WINDSOR LOCKS																
ALL RACES	150	13	-	-	-	2	1	2	4	52	66	19	4	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	6,200	387	27	5	14	48	102	154	206	1,659	2,270	1,382	312	40	4	4
NONWHITE	433	56	-	1	5	12	17	22	33	145	110	57	24	6	-	1
BARKHAMSTED																
ALL RACES	40	3	1	-	-	-	-	1	2	6	9	17	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BEACON FALLS																
ALL RACES	51	2	-	-	-	-	3	-	2	9	22	13	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	238	10	1	-	-	-	-	5	1	46	106	60	17	2	-	1
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
BETHLEHEM																
ALL RACES	39	1	-	-	-	-	1	-	-	4	18	12	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES	11	-	-	-	-	-	-	-	-	2	2	6	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	129	7	1	-	-	-	1	3	1	26	54	37	7	-	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CANAAN																
ALL RACES	26	-	-	-	-	-	1	-	-	6	12	4	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHESHIRE																
ALL RACES	255	3	1	-	-	-	4	1	2	42	91	105	8	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
COLEBROOK																
ALL RACES	10	-	-	-	-	-	-	-	-	3	5	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	19	3	1	-	-	-	1	1	-	6	7	4	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	848	56	3	1	2	4	11	17	39	239	302	177	43	9	1	3
NONWHITE	93	11	-	1	1	2	6	2	8	28	18	15	7	4	-	1
GOSHEN																
ALL RACES	21	-	-	-	-	-	-	-	-	4	8	8	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	57	8	-	-	-	-	-	1	1	12	25	14	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	31	1	1	-	-	-	-	2	1	9	8	6	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
LITCHFIELD																
ALL RACES	93	2	-	-	-	1	2	3	4	27	35	13	7	-	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY																
ALL RACES	51	2	-	-	-	-	2	-	1	10	15	20	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES	21	-	-	-	-	-	1	-	1	4	10	5	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES	362	20	-	-	-	3	2	6	6	130	138	62	14	1	-	-
NONWHITE	8	-	-	-	-	-	-	1	-	4	2	-	1	-	-	-
NEW FAIRFIELD																
ALL RACES	137	4	2	1	-	-	2	3	2	15	62	42	10	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NEW HARTFORD																
ALL RACES	63	2	1	-	-	-	-	3	-	19	16	24	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NEW MILFORD																
ALL RACES	294	18	-	-	1	5	4	2	13	72	111	63	22	1	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	-	2	2	1	-	-	-
NEWTOWN																
ALL RACES	205	11	1	-	-	1	1	3	5	34	79	66	14	-	2	-
NONWHITE	4	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-
NORFOLK																
ALL RACES	39	-	-	-	-	1	-	1	-	7	9	15	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	26	-	-	-	-	-	-	-	-	9	9	7	1	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
PROSPECT																
ALL RACES	55	2	-	-	-	-	1	1	-	10	24	14	5	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
REDDING																
ALL RACES	71	3	2	-	-	-	-	1	-	10	23	29	8	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
RIDGEFIELD																
ALL RACES	182	11	5	-	-	-	-	2	3	19	54	81	21	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ROXBURY																
ALL RACES	20	2	-	-	-	-	-	-	-	4	9	6	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	47	1	1	-	-	3	-	-	1	10	19	8	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES	28	4	1	-	-	-	-	-	3	7	8	9	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES	19	2	-	-	-	-	-	-	-	4	5	7	1	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES	128	13	1	-	-	1	1	5	1	19	57	32	10	2	-	-
NONWHITE	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-
THOMASTON																
ALL RACES	81	5	-	1	-	-	-	4	4	29	25	15	1	2	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TORRINGTON																
ALL RACES	404	31	1	-	-	2	4	17	12	122	164	68	12	3	-	-
NONWHITE	7	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES	16	2	-	-	-	-	-	1	-	4	4	7	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	47	3	-	-	-	-	1	-	1	12	16	13	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,464	119	-	1	9	26	45	63	88	538	472	179	36	7	-	-
NONWHITE	271	40	-	-	4	9	11	18	25	99	67	29	7	2	-	-
WATERTOWN																
ALL RACES	205	12	1	1	-	-	5	1	4	39	86	56	12	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WINCHESTER																
ALL RACES	164	16	1	-	1	1	5	4	4	39	74	27	6	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
WOLCOTT																
ALL RACES	126	6	-	-	1	-	2	3	3	35	54	21	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WOODBURY																
ALL RACES	77	2	1	-	-	-	2	-	1	17	23	28	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1981

	ALL RACES Age of Mother											NONWHITE Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	326	12	24	93	100	70	24	2	1	-	-	51	4	11	14	9	10	2	-	1	-	-
Sex:																						
Male	151	8	14	49	47	26	5	2	-	-	-	28	3	9	9	4	3	-	-	-	-	-
Female	171	3	10	44	52	43	18	-	1	-	-	23	1	2	5	5	7	2	-	1	-	-
Unknown	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	323	12	23	93	100	70	22	2	1	-	-	51	4	11	14	9	10	2	-	1	-	-
Other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	1	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	83	2	7	25	24	16	9	-	-	-	-	16	1	4	4	3	3	1	-	-	-	-
28-31 weeks	30	1	3	10	10	6	-	-	-	-	-	4	-	2	1	-	1	-	-	-	-	-
32-35 weeks	28	-	4	6	9	6	3	-	-	-	-	8	-	4	1	1	2	-	-	-	-	-
36 weeks	18	-	1	4	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37-39 weeks	32	2	2	8	9	11	-	-	-	-	-	4	1	-	2	-	1	-	-	-	-	-
40 weeks or over	42	1	2	14	12	8	4	-	1	-	-	6	-	-	2	1	2	-	-	1	-	-
Unknown	90	5	4	26	31	15	7	2	-	-	-	12	2	-	4	4	1	1	-	-	-	-
Weight at birth:																						
1000 grams or less	133	4	11	40	40	27	11	-	-	-	-	24	2	6	6	4	5	1	-	-	-	-
1001-1500 grams	36	1	3	12	11	8	1	-	-	-	-	8	-	3	2	2	1	-	-	-	-	-
1501-2000 grams	26	1	2	4	9	6	3	-	1	-	-	3	-	-	-	2	-	-	-	1	-	-
2001-2500 grams	21	-	2	8	5	5	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-
2501-3000 grams	29	1	2	8	10	6	2	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-
3001-3500 grams	27	-	2	8	7	8	1	1	-	-	-	3	-	1	1	-	1	-	-	-	-	-
3501-4000 grams	12	-	-	6	1	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
4001-4500 grams	6	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	4	-	-	-	1	2	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Unknown	32	5	2	5	13	4	2	1	-	-	-	4	2	-	1	-	-	1	-	-	-	-
Plural births:																						
Single	293	11	22	85	89	60	23	2	1	-	-	47	4	9	13	8	10	2	-	1	-	-
Twins	28	-	2	5	11	9	1	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-
Triplets	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1981

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total all causes	326
741	Spinal bifida	1
748	Congenital anomalies of respiratory system	1
751	Other congenital anomalies of digestive system	1
756	Other congenital musculoskeletal anomalies	1
757	Congenital anomalies of integument	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	11
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	6
761	Fetus affected by maternal complications of pregnancy	26
762	Fetus affected by complications of placenta, cord and membranes	130
763	Fetus affected by other complications of labor and delivery	17
765	Disorders relating to short gestation and unspecified low birthweight	14
768	Intrauterine hypoxia and birth asphyxia	20
769	Respiratory distress syndrome	1
772	Fetal hemorrhage	2
773	Hemolytic disease of fetus, due to isoimmunization	1
775	Endocrine and metabolic disturbances specific to the fetus	2
778	Conditions involving the integument and temperature regulation of fetus	4
779	Other and ill-defined conditions originating in perinatal period	85

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981

ICD 9TH REVISION	TOTAL	AGE AT DEATH																										
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	126356	480	25	16	6	11	538	54	57	208	280	263	233	309	374	526	968	1,092	2,032	3,311	5,981	8,615	11,208	2
MALE	113711	280	9	9	5	8	311	31	34	152	209	206	168	206	263	357	550	1,033	1,933	2,969	4,815	6,969	8,605	3,691	47,112	2
FEMALE	126645	200	16	7	1	3	227	23	23	56	71	55	69	103	106	169	418	59	99	342	1,166	1,646	2,603	3,517	18,244	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																												
MALE	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																												
MALE	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	1	1	-	-	-
FEMALE	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																												
MALE	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	1	-	-	-
FEMALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																												
MALE	51	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	61	1	1	-	-	1	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																												
MALE	801	-	-	1	-	-	1	-	-	1	-	1	1	1	-	3	-	6	9	9	10	10	18	10	-	-	-	-
FEMALE	1011	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	3	5	4	9	11	12	14	10	-	-	-	-
90-97 SYPHILIS																												
FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																												
MALE	331	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1	1	2	8	4	2	2	1	-	-	-	-
FEMALE	291	-	1	-	-	-	1	1	-	-	-	1	-	2	-	1	2	1	1	2	1	2	1	1	-	-	-	-
140-208 MALIGNANT NEOPLASMS																												
MALE	13,230	-	-	1	-	-	1	6	2	1	2	11	21	30	71	161	733	1,111	1,460	2,321	3,536	4,377	2,951	2,641	-	-	-	-
FEMALE	12,975	-	1	2	-	-	3	4	3	8	4	8	18	32	50	103	196	263	376	433	398	377	396	355	-	-	-	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																												
MALE	131	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	1	2	2	5	2	3	4	4	-	-	-	-
FEMALE	641	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	3	3	4	9	11	9	-	-	-	-
250 DIABETES MELLITUS																												
MALE	1831	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	10	10	15	28	27	37	23	26	-	-	-	-
FEMALE	2451	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	7	8	22	35	31	38	36	60	-	-	-	-
280-285 ANEMIAS																												
MALE	151	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	2	1	1	-	4	4	-	-	-	-	-
FEMALE	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	3	9	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																												
MALE	651	-	-	-	-	-	-	-	-	1	1	1	6	8	8	13	14	4	4	5	2	-	-	-	-	-	-	-
FEMALE	181	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	6	4	-	4	-	2	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
320-322 MENINGITIS																									
MALE	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,511	3	2	-	-	1	6	1	2	3	8	17	11	47	70	128	265	453	697	830	946	914	851	1,262	-
FEMALE	6,596	3	1	-	-	-	4	1	1	4	8	2	8	10	30	56	89	162	282	488	655	999	1,203	2,594	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,290	2	2	-	-	1	5	1	1	1	7	12	9	36	62	121	235	389	614	705	784	719	648	941	-
FEMALE	4,924	2	1	-	-	-	3	1	-	1	7	1	6	6	19	45	74	134	221	391	531	751	871	1,862	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	4	5	2	-
FEMALE	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	15	11	9	4	3	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	137	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	8	15	23	15	21	21	14	9	-
FEMALE	139	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	9	15	18	30	20	32	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	10	-	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	4,083	-	-	-	-	-	-	-	-	-	1	-	5	25	45	91	179	303	477	567	628	544	491	727	-
FEMALE	3,653	-	-	-	-	-	-	-	-	-	1	-	2	2	7	27	49	90	160	278	500	565	651	1,421	-
415-429 OTHER HEART DISEASE																									
MALE	1,040	2	2	-	-	1	5	1	1	1	6	11	3	9	11	28	48	70	111	120	131	147	135	202	-
FEMALE	1,056	2	1	-	-	-	3	1	-	1	6	1	4	3	8	14	18	35	44	82	101	146	193	396	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	6	6	11	8	15	-
FEMALE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	4	8	6	4	9	23	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	812	1	-	-	-	-	1	-	1	1	1	4	2	10	6	7	18	45	57	86	114	126	128	205	-
FEMALE	1,224	1	-	-	-	-	1	-	1	2	1	1	2	1	10	10	12	24	47	73	88	191	247	513	-
440 ATHEROSCLEROSIS																									
MALE	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	4	4	13	22	29	81	-
FEMALE	273	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	7	5	13	32	55	158	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	185	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	3	9	17	29	29	36	38	20	-
FEMALE	117	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	3	11	17	21	21	38	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
480-486 PNEUMONIA																										
MALE	361	-	-	-	-	-	-	2	1	2	1	-	-	4	2	3	3	13	16	27	46	62	59	120	-
FEMALE	354	-	-	-	-	1	1	-	-	-	-	2	-	1	3	2	3	-	9	13	22	33	69	196	-
487 INFLUENZA																										
MALE	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	3	2	6	-
FEMALE	34	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	5	18	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	468	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	21	23	40	55	82	112	69	77	-
FEMALE	297	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	7	16	34	34	57	53	53	40	-
531-533 ULCER OF STOMACH AND DUODENUM																										
MALE	30	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	4	2	2	4	6	3	5	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	5	5	3	7	15	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	4	8	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	6	5	9	17	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	255	-	-	-	-	-	-	-	-	-	-	3	7	22	13	18	27	34	36	42	25	19	9	-	-
FEMALE	141	-	-	-	-	-	-	-	-	-	1	-	5	5	4	14	20	15	23	17	16	11	8	2	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	129	1	-	-	-	-	1	-	-	-	1	-	1	1	2	2	4	5	11	12	22	22	14	31	-
FEMALE	78	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	3	4	6	11	17	14	20	-
590 INFECTIONS OF KIDNEY																										
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	3	-
600 HYPERPLASIA OF PROSTATE																										
MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-
740-759 CONGENITAL ANOMALIES																										
MALE	91	66	2	1	-	1	70	2	1	2	2	2	2	1	-	1	-	-	3	1	1	1	1	1	-
FEMALE	83	60	3	-	-	1	64	1	1	3	2	1	-	3	-	-	1	2	2	1	-	1	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	176	175	-	-	-	-	175	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	113	111	-	-	-	-	111	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	20	20	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	13	13	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																								
MALE	687	4	1	3	3	2	13	16	23	96	121	77	46	35	24	25	29	25	30	26	26	19	19	36	1
FEMALE	310	2	3	1	1	-	7	7	5	25	33	17	15	15	7	9	13	13	17	17	22	27	18	43	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	371	1	-	1	-	1	3	9	7	74	96	53	26	25	11	8	8	11	9	7	9	6	3	6	-
FEMALE	141	1	1	1	-	-	3	1	3	23	25	14	8	9	5	5	8	5	4	6	6	15	1	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	24	-	-	2	1	-	3	2	2	4	2	1	1	-	2	-	3	1	2	-	-	-	-	-	1
FEMALE	8	-	-	-	1	-	1	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	220	-	-	-	-	-	-	-	4	16	27	25	25	11	18	11	11	15	14	8	12	10	7	6	-
FEMALE	69	-	-	-	-	-	-	-	-	3	6	6	3	5	6	8	8	6	8	5	2	-	2	1	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	112	1	-	-	-	-	1	2	2	11	17	19	16	17	7	5	3	5	3	-	2	1	-	-	1
FEMALE	32	2	1	-	-	-	3	2	2	4	5	1	1	3	3	1	2	1	1	-	-	3	-	-	-
ALL OTHER CAUSES																								
MALE	944	10	4	2	1	4	21	-	4	11	21	45	35	28	15	17	35	57	90	119	108	101	91	146	-
FEMALE	983	4	5	3	-	-	12	6	4	8	12	14	17	21	15	35	28	64	62	72	83	112	157	261	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981

*ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	1,441	121	13	1	1	-	136	8	8	20	25	32	43	64	76	77	92	140	126	146	123	111	103	111	-
MALE	826	73	4	1	1	-	79	5	3	14	14	25	31	44	42	50	55	86	82	82	80	47	48	39	-
FEMALE	615	48	9	-	-	-	57	3	5	6	11	7	12	20	34	27	37	54	44	64	43	64	55	72	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	1	2	-
90-97 SYPHILIS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	173	-	-	-	-	-	-	-	-	1	1	1	4	3	11	14	24	29	28	29	12	12	4	-	
FEMALE	131	-	1	-	-	-	1	-	2	-	1	1	1	5	9	9	12	17	16	14	11	10	12	10	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, ARCINOMA IN SITU																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
250 DIABETES MELLITIS																									
MALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	3	-	2	1	-	-
FEMALE	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	8	1	4	3	-	-
280-285 ANEMIAS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	5	2	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
320-322 MENINGITIS																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																										
MALE	268	1	2	-	-	-	3	-	-	2	1	5	1	6	13	14	22	31	28	33	37	24	21	27	-
FEMALE	245	-	1	-	-	-	1	-	-	-	-	-	2	4	8	10	12	17	18	34	24	38	32	45	-
390-398,402,404-429 DISEASES OF THE HEART																										
MALE	200	-	2	-	-	-	2	-	-	-	1	1	1	3	13	14	17	24	21	23	27	19	15	19	-
FEMALE	187	-	1	-	-	-	1	-	-	-	-	-	1	2	6	8	12	15	12	22	18	27	27	36	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
402 HYPERTENSIVE HEART DISEASE																										
MALE	19	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	3	2	2	-	1	1	-	-	
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	-	3	1	3	4	-	-	
404 HYPERTENSIVE HEART AND RENAL DISEASE																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
410-414 ISCHEMIC HEART DISEASE																										
MALE	128	-	-	-	-	-	-	-	-	-	-	-	-	-	7	10	10	17	14	16	21	12	10	11	-	
FEMALE	116	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	7	8	14	12	15	15	32	-	
415-429 OTHER HEART DISEASE																										
MALE	53	-	2	-	-	-	2	-	-	-	1	1	-	2	2	3	4	4	5	5	6	6	4	8	-	
FEMALE	48	-	1	-	-	-	1	-	-	-	-	-	1	1	2	3	2	7	4	4	5	9	6	3	-	
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																										
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	
430-438 CEREBROVASCULAR DISEASES																										
MALE	46	1	-	-	-	-	1	-	-	1	-	3	-	3	-	-	2	5	5	7	10	2	4	3	-	
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	6	7	4	10	5	-	
440 ATHEROSCLEROSIS																										
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	-	
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	3	-	
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																										
MALE	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	3	-	1	1	2	-	
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
480-486 PNEUMONIA																										
MALE	24	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	2	3	3	3	2	2	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	4	-
487 INFLUENZA																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-																									
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	3	1	1	3	1	-
FEMALE	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	1	1	-	1	-
531-533 ULCER OF STOMACH AND DUODENUM																										
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	29	-	-	-	-	-	-	-	-	-	-	1	1	9	3	3	1	5	3	2	-	1	-	-	-
FEMALE	14	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	1	2	1	1	-	1	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	2	-
FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-
590 INFECTIONS OF KIDNEY																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																										
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																										
MALE	9	9	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	12	9	1	-	-	-	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	51	51	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	33	33	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	7	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
E800-E949 ACCIDENTS																								
MALE	56	2	-	-	1	-	3	3	2	6	5	5	6	3	4	5	4	4	2	3	-	-	-	1	-
FEMALE	26	1	1	-	-	-	2	1	1	-	2	3	1	3	3	1	1	3	2	1	1	-	2	1	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	24	1	-	-	-	-	1	2	1	2	4	3	2	2	3	1	1	1	-	1	-	-	-	-	-
FEMALE	10	-	1	-	-	-	1	-	3	-	1	1	-	1	2	-	-	1	1	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	4	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	49	1	-	-	-	-	1	1	-	3	5	8	10	10	5	2	-	2	-	-	1	1	-	-	-
FEMALE	12	-	1	-	-	-	1	1	-	1	3	1	1	1	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER CAUSES																								
MALE	76	2	2	1	-	-	5	-	-	-	1	5	10	7	1	2	6	9	8	6	7	2	4	3	-
FEMALE	67	2	3	-	-	-	5	1	-	2	4	1	5	3	5	2	7	9	3	3	2	5	3	7	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	480	121	240	101	36	39	64	126	286	59	12	33	35
HSA 1 SOUTHWESTERN	82	30	44	19	6	6	7	18	55	14	3	4	5
BRIDGEPORT	43	21	25	10	1	1	6	6	31	11	3	3	3
DARIEN	2	-	-	1	-	1	-	1	1	-	-	-	-
EASTON	1	-	-	-	-	-	1	-	-	-	-	-	1
FAIRFIELD	4	-	1	2	-	1	-	2	2	-	-	-	-
GREENWICH	2	-	1	-	-	1	-	1	1	-	-	-	-
MONROE	1	-	-	-	1	-	-	1	-	-	-	-	-
NEW CANAAN	1	-	-	-	1	-	-	-	1	-	-	-	-
NORWALK	12	4	9	-	2	1	-	2	8	2	-	1	1
STAMFORD	11	4	5	4	1	1	-	5	6	1	-	-	-
STRATFORD	1	1	-	1	-	-	-	-	1	-	-	-	-
TRUMBULL	2	-	2	-	-	-	-	-	2	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	2	-	1	1	-	-	-	-	2	-	-	-	-
HSA 2 SOUTH CENTRAL	97	29	45	19	3	12	18	25	54	11	2	9	9
ANSONIA	2	-	1	-	-	-	1	-	1	-	-	1	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	7	-	4	1	1	-	1	3	4	-	-	-	-
DERBY	3	1	2	1	-	-	-	-	3	1	-	-	-
EAST HAVEN	2	-	1	-	-	1	-	-	1	1	-	1	-
GUILFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMDEN	6	-	2	1	1	1	1	3	1	-	-	-	2
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	7	1	3	2	-	-	2	1	4	1	-	1	1
MILFORD	7	-	1	4	-	2	-	1	4	-	1	1	1
NEW HAVEN	39	22	20	7	-	4	8	9	24	5	1	2	4
NORTH BRANFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	2	-	1	-	-	-	1	-	1	-	-	1	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
SEYMOUR	1	-	-	-	-	-	1	1	-	-	-	-	-
SHELTON	4	1	2	1	-	-	1	3	1	-	-	-	-
WALLINGFORD	3	-	-	1	-	1	1	1	1	-	-	-	1
WEST HAVEN	12	3	7	1	1	2	1	3	8	3	-	1	-
WOODBRIDGE	1	1	-	-	-	1	-	-	-	-	-	1	-
HSA 3 EASTERN	78	7	41	15	7	6	9	22	44	7	3	6	6
ASHFORD	1	-	-	-	-	-	1	1	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	5	1	3	-	-	1	1	2	3	2	-	-	-
COLUMBIA	1	-	1	-	-	-	-	1	-	-	-	-	-
COVENTRY	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL	1	-	-	1	-	-	-	-	1	-	-	-	-
DEEP RIVER	2	-	2	-	-	-	-	-	2	-	-	-	-
DURHAM	1	-	-	-	-	1	-	-	-	-	-	1	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	2	-	1	-	-	-	1	1	1	-	-	-	-
EAST HAMPTON	2	-	1	-	1	-	-	1	1	-	-	-	-
EAST LYME	1	-	1	-	-	-	-	-	1	1	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	-	1	-	1	-	-	-	2	-	-	-	-
GROTON	9	-	5	1	1	-	2	1	5	-	-	1	2
HADDAM	2	-	-	1	-	1	-	1	-	-	-	-	1
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	3	-	2	-	-	-	1	-	2	-	-	1	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	1	-	-	1	-	-	-	-	1	-	-	-	-
LEDYARD	2	-	-	1	1	-	-	2	-	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	3	-	3	-	-	-	-	-	3	-	-	-	-
MIDDLEFIELD	1	-	-	1	-	-	-	1	-	-	-	-	-
MIDDLETOWN	9	4	5	2	1	-	1	3	5	2	-	-	1
MONTVILLE	4	-	3	-	-	1	-	2	2	-	1	-	-
NEW LONDON	5	1	3	1	1	-	-	1	4	2	-	-	-
N STONINGTON	1	-	1	-	-	-	-	-	1	-	-	-	-
NORWICH	5	1	-	2	-	1	2	1	2	-	1	1	1
OLD LYME	1	-	-	1	-	-	-	-	-	-	-	1	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	2	-	-	1	1	-	-	-	2	-	-	-	-
POMFRET	2	-	1	1	-	-	-	1	1	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	1	-	-	-	-	-	1	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	1	-	-	-	-	-	-	-	-	-	1
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	2	-	-	1	-	1	-	-	1	-	-	1	-
WATERFORD	2	-	2	-	-	-	-	2	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	4	-	4	-	-	-	-	1	3	-	1	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	143	43	72	32	12	9	18	34	88	18	2	11	10
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	-	2	-	-	-	-	-	2	2	-	-	-
BERLIN	2	-	-	1	1	-	-	-	1	-	-	-	1
BLOOMFIELD	1	-	1	-	-	-	-	-	1	1	-	-	-
BOLTON	1	-	1	-	-	-	-	-	1	-	-	-	-
BRISTOL	9	-	4	2	-	2	1	-	6	-	-	2	1
BURLINGTON	1	-	1	-	-	-	-	1	-	-	-	-	-
CANTON	1	-	1	-	-	-	-	-	1	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	12	4	8	1	2	-	1	3	8	1	-	1	-
EAST WINDSOR	1	-	1	-	-	-	-	-	1	1	-	-	-
ELLINGTON	1	-	-	1	-	-	-	1	-	-	-	-	-
ENFIELD	3	-	1	2	-	-	-	-	2	1	-	1	-
FARMINGTON	3	-	-	2	1	-	-	2	1	-	-	-	-
GLASTONBURY	3	-	-	1	-	-	2	2	1	-	-	-	-
GRANBY	1	-	-	-	-	-	1	1	-	-	-	-	-
HARTFORD	47	31	19	13	2	5	8	8	26	3	1	5	8
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER	6	-	5	-	-	-	1	4	2	-	1	-	-
MARLBOROUGH	1	-	1	-	-	-	-	1	-	-	-	-	-
NEW BRITAIN	24	4	16	3	3	1	1	4	19	3	-	1	-
NEWINGTON	4	-	1	-	2	-	1	3	1	-	-	-	-
PLAINVILLE	1	-	1	-	-	-	-	1	-	-	-	-	-
PLYMOUTH	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL	3	1	1	2	-	-	-	-	3	1	-	-	-
SIMSBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	1	1	1	-	-	1	2	1	-	-	-
SOUTH WINDSOR	1	-	-	-	-	-	1	1	-	-	-	-	-
STAFFORD	2	-	1	-	-	-	1	-	1	-	-	1	-
SUFFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	5	2	5	-	-	-	-	-	5	3	-	-	-
WEST HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
WETHERSFIELD	2	-	-	2	-	-	-	1	1	-	-	-	-
WINDSOR	1	1	1	-	-	-	-	-	1	-	-	-	-
WINDSOR LOCKS	2	-	-	1	-	1	-	-	2	1	-	-	-
HSA 5 NORTHWESTERN	80	12	38	16	8	6	12	27	45	9	2	3	5
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	2	-	1	-	-	-	1	1	1	-	-	-	-
BETHEL	1	-	1	-	-	-	-	-	1	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	5	-	2	3	-	-	-	1	4	-	-	-	-
CANAAN	1	-	-	1	-	-	-	1	-	-	-	-	-
CHESHIRE	1	-	1	-	-	-	-	1	-	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	14	3	4	3	3	1	3	6	7	1	-	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	1	-	-	-	-	-	1	-	-	-	-	-	1
LITCHFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	1	-	-	-	-	1	-	-	1	-	-	-	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	-	-	1	-	-	-	1	-	-	-	-	-
NEW MILFORD	3	-	3	-	-	-	-	2	1	-	-	-	-
NEWTOWN	2	-	-	-	-	1	1	-	-	-	-	1	1
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	1	-	-	1	-	-	-	1	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	1	-	-	-	1	-	-	-	1	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	1	1	-	-	-	-	-	1	1	-	-	-
THOMASTON	1	1	1	-	-	-	-	-	1	1	-	-	-
TORRINGTON	5	-	3	1	-	1	-	2	3	-	1	-	-
WARREN	1	-	-	-	-	-	1	-	-	-	-	1	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	30	6	19	3	3	2	3	6	22	6	1	1	1
WATERTOWN	3	-	1	1	-	-	1	1	1	-	-	-	1
WINCHESTER	3	1	-	1	1	-	1	3	-	-	-	-	-
WOLCOTT	1	-	-	1	-	-	-	-	1	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	480	240	101	26	6	4	377	20	19	16	12	10	5	11	5	-	2	3
MALE.....	280	132	65	19	4	3	223	9	13	7	8	7	3	5	3	-	-	2
FEMALE.....	200	108	36	7	2	1	154	11	6	9	4	3	2	6	2	-	2	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE.....	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE.....	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
FEMALE.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	66	19	19	7	2	2	49	4	2	2	-	4	1	3	-	-	-	1
FEMALE.....	60	21	16	4	2	1	44	2	3	4	2	1	1	1	1	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	175	110	43	11	1	1	166	3	5	-	-	-	-	1	-	-	-	-
FEMALE.....	111	86	17	3	-	-	106	2	-	2	-	-	-	1	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	31	27	4	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE.....	4	-	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	8	4	4	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	20	-	-	-	-	-	-	2	6	2	5	3	1	-	1	-	-	-
FEMALE	13	-	3	-	-	-	3	5	1	2	1	-	1	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	4	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	12	3	2	-	1	-	6	-	-	2	2	-	-	-	1	-	-	-
FEMALE	7	1	-	-	-	-	1	1	2	-	1	-	-	1	-	-	1	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	121	70	18	2	2	-	92	5	4	4	4	4	3	3	1	-	-	1
MALE	73	41	12	-	2	-	55	1	4	2	3	3	1	2	1	-	-	1
FEMALE	48	29	6	2	-	-	37	4	-	2	1	1	2	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	9	2	2	-	1	-	5	-	-	-	-	2	-	1	-	-	-	1
FEMALE	9	2	2	2	-	-	6	1	-	1	-	-	1	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	51	38	9	-	1	-	48	-	2	-	-	-	-	1	-	-	-	-
FEMALE	33	26	4	-	-	-	30	1	-	1	-	-	-	1	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	16	15	1	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	7	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	4	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1981

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 year)*	480	12.0	100.0	280	13.7	100.0	200	10.2	100.0
Certain conditions originating in perinatal period (760-779)	286	7.2	59.6	175	8.6	62.5	111	5.7	55.5
Congenital Anomalies (740-759)	126	3.2	26.2	66	3.2	23.6	60	3.1	30.0
Sudden infant death syndrome (798.0)	33	0.8	6.9	20	1.0	7.1	13	0.7	6.5
Accidents, total (E800-E949)	6	0.2	1.3	4	0.2	1.4	2	0.1	1.0
All other causes	29	0.7	6.0	15	0.7	5.4	14	0.7	7.0
All Causes (1-14 years)	169	28.4	100.0	101	33.2	100.0	68	23.4	100.0
Accidents, total (E800-E949)	65	10.9	38.5	48	15.8	47.5	17	5.8	25.0
Malignant neoplasms (140-208)	19	3.2	11.2	9	3.0	8.9	10	3.4	14.7
Congenital Anomalies (740-759)	13	2.2	7.7	7	2.3	6.9	6	2.1	8.8
Homicide and legal intervention (E960-E978)	9	1.5	5.3	4	1.3	4.0	5	1.7	7.3
Diseases of the heart (390-398, 402, 404-429)	7	1.2	4.1	5	1.6	4.9	2	0.7	2.9
Pneumonia and influenza (480-487)	5	0.8	3.0	3	1.0	3.0	2	0.7	2.9
Suicide (E950-E959)	4	0.7	2.4	4	1.3	4.0	-	-	-
All other causes	47	7.9	27.8	21	6.9	20.8	26	8.9	38.4
All Causes (15-24 years)	488	88.2	100.0	361	129.9	100.0	127	46.1	100.0
Accidents, total (E800-E949)	275	49.7	56.4	217	78.1	60.1	58	21.1	45.7
Suicide (E950-E959)	52	9.4	10.7	43	15.5	11.9	9	3.3	7.1
Homicide and legal intervention (E960-E978)	37	6.7	7.6	28	10.1	7.8	9	3.3	7.1
Malignant neoplasms (140-208)	22	4.0	4.5	10	3.6	2.8	12	4.4	9.4
Diseases of the heart (390-398, 402, 404-429)	16	2.9	3.3	8	2.9	2.2	8	2.9	6.3
Congenital anomalies (740-759)	9	1.6	1.8	4	1.4	1.1	5	1.8	3.9
Cerebrovascular accidents (430-438)	5	0.9	1.0	2	0.7	0.6	3	1.1	2.4
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	5	0.9	1.0	4	1.4	1.1	1	0.4	0.8
All other causes	67	12.1	13.7	45	16.2	12.4	22	8.0	17.3
All Causes (25-44)	1136	128.9	100.0	783	181.9	100.0	353	78.3	100.0
Accidents, total (E800-E959)	236	26.8	20.8	182	42.3	23.2	54	12.0	15.3
Malignant neoplasms (140-209)	207	23.5	18.2	99	23.0	12.6	108	23.9	30.6
Diseases of the heart (390-398, 402, 404-429)	151	17.1	13.3	119	27.6	15.2	32	7.1	9.1
Suicide (E950-E959)	99	11.2	8.7	79	18.4	10.1	20	4.4	5.7
Homicide and legal intervention (E960-E978)	67	7.6	5.9	59	13.7	7.5	8	1.8	2.3
Chronic liver disease and cirrhosis (571)	59	6.7	5.2	45	10.5	5.7	14	3.1	4.0
Cerebrovascular disease (430-438)	36	4.1	3.2	22	5.1	2.8	14	3.1	4.0
Alcohol dependence syndrome (303)	19	2.2	1.7	16	3.7	2.0	3	0.7	0.8
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	18	2.0	1.6	17	3.9	2.2	1	0.2	0.3
Pneumonia and influenza (480-487)	13	1.5	1.1	7	1.6	0.9	6	1.3	1.7
All other causes	231	26.2	20.3	138	32.1	17.8	93	20.6	26.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1981, cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (45-64)	5424	811.9	100.0	3363	1052.4	100.0	2061	591.4	100.0
Malignant neoplasms (140-208)	2002	299.7	36.3	1066	333.6	31.7	936	268.6	45.4
Diseases of the heart (390-398, 402, 404-429)	1833	274.4	33.8	1359	425.3	40.4	474	136.0	23.0
Cerebrovascular diseases (430-438)	220	32.9	4.1	127	39.7	3.8	93	26.7	4.5
Chronic liver disease and cirrhosis (571)	187	28.0	3.4	115	36.0	3.4	72	20.7	3.5
Accidents, total (E800-E949)	161	24.1	3.0	109	34.1	3.2	52	14.9	2.5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	129	19.3	2.4	71	22.2	2.1	58	16.6	2.8
Suicide (E950-E959)	81	12.1	1.5	51	16.0	1.5	30	8.6	1.5
Diabetes Mellitus (250)	79	11.8	1.5	38	11.9	1.1	41	11.8	2.0
Pneumonia and influenza (480-487)	53	7.9	1.0	37	11.6	1.1	16	4.6	0.8
Alcohol dependence syndrome (303)	52	7.8	1.0	37	11.6	1.1	18	5.2	0.9
All other causes	627	93.9	11.4	353	110.5	10.6	271	77.8	13.1
All Causes (65 years and over)	18657	4939.1	100.0	8823	5957.9	100.0	9834	4282.2	100.0
Diseases of the heart (390-398, 402, 404-429)	8203	2171.6	44.0	3797	2564.0	43.0	4406	1918.6	44.8
Malignant neoplasms (140-208)	3955	1047.0	21.2	2046	1381.6	23.2	1909	831.3	19.4
Cerebrovascular Diseases (430-438)	1771	468.8	9.5	659	445.0	7.5	1112	484.2	11.3
Pneumonia and influenza (480-487)	691	182.9	3.7	327	220.8	3.7	364	158.5	3.7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	628	166.3	3.4	391	264.0	4.4	237	103.2	2.4
Atherosclerosis (440)	412	109.1	2.2	149	100.6	1.7	263	114.5	2.7
Diabetes Mellitus (250)	339	89.7	1.8	139	93.9	1.6	200	87.1	2.0
Accidents, total (E800-E949)	253	67.0	1.4	126	85.1	1.4	127	55.3	1.3
All other causes	2405	636.7	12.8	1189	802.9	13.5	1216	529.5	12.4

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1981

	Number For Groom									
Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Unknown
TOTAL	25,747	17,628	6,966	1,005	97	12	-	-	1	38
First	18,260	15,161	2,804	252	22	2	-	-	-	19
Second	6,409	2,213	3,579	561	47	5	-	-	-	4
Third	893	189	512	168	21	3	-	-	-	-
Fourth	80	13	39	21	5	2	-	-	-	-
Fifth	13	4	4	3	2	-	-	-	-	-
Sixth	4	1	3	-	-	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-
Eighth	1	-	-	-	-	-	-	-	1	-
Unknown	87	47	25	-	-	-	-	-	-	15

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1981

Previous Marital Status of Bride	Previous Marital Status of Groom					
	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	25,747	17,748	844	7,077	77	1
Single	18,421	15,363	112	2,900	46	-
Widowed	797	113	381	299	4	-
Divorced	6,402	2,201	344	3,839	18	-
Annulled	125	70	7	39	9	-
Unknown	2	1	-	-	-	1

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1981

COUNTY	TOTAL
CONNECTICUT, TOTAL	13,639
Fairfield	2,841
Hartford	3,593
Litchfield	621
Middlesex	644
New Haven	3,484
New London	1,390
Tolland	582
Windham	484
Sex of Complainant:	
Male	4,110
Female	9,172
Not Stated	357

Table 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1981

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	13,639
No children	6,040
One child	3,285
Two children	2,886
Three children	956
Four children	256
Five children	70
Six or more children	9
Unknown	137

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1981

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	13,639	1965	327
1981	52	1964	297
1980	541	1963	264
1979	1,019	1962	249
1978	1,134	1961	219
1977	950	1960	211
1976	845	1959-1955	803
1975	889	1954-1950	467
1974	725	1949-1945	249
1973	730	1944-1940	107
1972	652	1939-1935	21
1971	546	1934-1930	9
1970	528	Prior to 1930	7
1969	536	Unknown	73
1968	442		
1967	400		
1966	347		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate: Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)

Age-Specific Birth Rate:

$$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$$

Age-Specific Death Rate:

$$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$$

Crude Birth Rate:

$$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$$

Crude Death Rate:

$$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$$

Divorce Rate:

$$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$$

Fetal Death Ratio:

$$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$$

Infant Death Rate:

$$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$$

Marriage Rate:

$$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$$